

Assignment no. 3

due: April 28th, 2014

Exercise 3.1 Give an example of a set of n points in the plane, and a query rectangle for which the number of nodes of the kd-tree visited is $\Omega(\sqrt{n})$.

Exercise 3.2 The algorithm we saw in class for searching in a kd-tree (where the search is guided by comparing the *region* of a node with the query region) can also be used when querying with ranges other than rectangles. For example, a query is answered correctly if the range is a triangle.

(a) Show that the query time for range queries with triangles is linear in the worst case, even if no points are reported at all. Hint: Choose all the input points to lie on the line $y = x$.

(b) Suppose that a data structure is needed that can answer triangular range queries but only for triangles whose edges are horizontal, vertical or have slope $+1$ or -1 . Devise a linear size data structure that answers such queries in $O(n^{3/4} + k)$ time, where k is the number of points to be reported. Hint: Choose 4 coordinate axes in the plane and use a “4-dimensional” kd-tree.

(c) Improve the query time to $O(n^{2/3} + k)$.

Exercise 3.3 Given a star-shaped polygon P with n vertices, show that after expected $O(n)$ preprocessing time, one can determine whether a query point lies in P in worst-case $O(\log n)$ time.

Exercise 3.4 Give a randomized algorithm to compute all pairs of intersecting segments in a set of n line segments in the plane in expected time $O(n \log n + k)$, where k is the total number of intersections among the segments.